

# KILLCOHOOK I CDF ID#300

## SITE #1

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

3 samples taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 40.9%

PERCENT SAND = 59.1%

Gray Sand Avg. = 2.5phi

NOTE: NOT TO SCALE

Auger

T

1.0ft Medium Muddy Sand (Gray)	5.0ft Fine Muddy Sand (Gray)
---	---------------------------------------

B

# KILLCOHOOK I CDF ID#300

## SITE #2

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 5.0ft

CORE (RECOVERY) = Auger = 5.0ft

3 samples taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = **31.7%**

PERCENT SAND = **68.3%**

Gray Sand Avg. = **1.25phi**

NOTE: NOT TO SCALE

Auger

**T**

2.0ft Fine Sand (Brown)	1.0ft Fine Sandy Mud (Gray)	2.0ft Coarse Sand w/Silt (Gray)
-------------------------------	--------------------------------------	--

**B**

# KILLCOHOOK I CDF ID#300

## SITE #3

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 5.0ft

CORE (RECOVERY) = Auger = 5.0ft

3 samples taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = **57.2%**

PERCENT SAND = **42.8%**

Gray Sand Avg. = **3.25phi**

NOTE: NOT TO SCALE

Auger

**T**

2.0ft Very Fine Muddy Sand (Brown)	2.0ft Very Fine Sandy Mud (Gray)	1.0ft Fine Muddy Sand (Gray)
---	---	---------------------------------------

**B**

# KILLCOHOOK I CDF ID#300

## SITE #4

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

3 samples taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = **81.2%**

PERCENT SAND = **18.8%**

Brown/Gray Sand Avg. = **3.50phi**

NOTE: NOT TO SCALE

Auger

**T**

<p>4.0ft Fine Sandy Mud (Brown)</p>	<p>2.0ft Mud (Brown w/Orange)</p>
---	---

**B**

# KILLCOHOOK I CDF ID#300

## SITE #5

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

1 sample taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 66.3%

PERCENT SAND = 33.3%

Brown Sand Avg. = 3.25phi

NOTE: NOT TO SCALE

Auger

T



B

# KILLCOHOOK I CDF ID#300

## SITE #6

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 0.5ft

CORE (RECOVERY) = Auger = 0.5ft  
1 sample taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = **94.8%**

PERCENT SAND = **5.2%**

Brown Sand Avg. = **3.50phi**

NOTE: NOT TO SCALE

Auger

**T**



**B**

# KILLCOHOOK I CDF ID#300

## SITE #6A

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

3 samples taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 75.5%

PERCENT SAND = 24.5%

Gray Sand Avg. = 3.25phi

NOTE: NOT TO SCALE

Auger

T

5.5ft Silty Mud (Gray)		0.5ft Very Fine Sandy Mud (Brown)
------------------------------	--	--

B

# KILLCOHOOK I CDF ID#300

## SITE #7

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/11/11

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

1 sample taken with auger

### STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 92.0%

PERCENT SAND = 8.0%

Gray Sand Avg. = 3.50phi

NOTE: NOT TO SCALE

Auger

T

6.0ft  
Mud  
(Gray)

B