SITE #1

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/21/10

PENETRATING DEPTH = 7.0ft CORE (RECOVERY) = Auger = 6.0ft = Core = 1.0ft 1 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 91.9%

PERCENT SAND = 8.1%

Visual - Brown Sand Avg. = 3.0phi

NOTE: NOT TO SCALE

Auger

T

1.0ft	6.0ft
Clay	Clay
(Brown)	(Dark-Brown)

SITE #2

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/20/10

PENETRATING DEPTH = 6.0ft CORE (RECOVERY) = Auger = 6.0ft 1 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 86.1%

PERCENT SAND = 13.9%

Visual - Brown Sand Avg. = 3.25phi

NOTE: NOT TO SCALE

Auger

T

6.0ft Clay (Brown)

SITE #3

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/21/10

PENETRATING DEPTH = 8.0ft CORE (RECOVERY) = Auger = 6.0ft = Core = 2.0ft 1 sample taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 95.5%

PERCENT SAND = 4.5%

Visual - Brown Sand Avg. = 3.25phi

NOTE: NOT TO SCALE

Auger

T

8.0ft Clay (Dark-Brown)

SITE #4

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/21/10

PENETRATING DEPTH = 2.0ft CORE (RECOVERY) = Auger = 2.0ft 1 sample taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 89.8%

PERCENT SAND = 10.2%

Visual - Brown Sand Avg. = 3.25phi

NOTE: NOT TO SCALE

Auger

T

2.0ft Clay (Brown)

SITE #5

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/20/10

PENETRATING DEPTH = 4.5ft CORE (RECOVERY) = Auger = 4.5ft 4 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 24.4%

PERCENT SAND = 75.6%

Visual - Brown Sand Avg. = 0.75phi

NOTE: NOT TO SCALE

Auger

T

1.0ft Clay/ Mud (Brown)	1.5ft Clay/ Pebble Mix (Brown)	2.0ft Sand Gravel (Brown)	3.0ft Coarse Sand (Brown)	4.5ft Clay (Brown)
----------------------------------	---	---------------------------------	---------------------------------	--------------------------

SITE #6

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/20/10

PENETRATING DEPTH = 6.0ft CORE (RECOVERY) = Auger = 6.0ft 3 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 55.5%

PERCENT SAND = 44.5%

Visual - Tan-Brown Sand Avg. = 3.0phi

NOTE: NOT TO SCALE

Auger

T

1.5ft	3.5ft	6.0ft
1.51	3.310	0.011
Clay	Fine Sand	Clay
(Brown)	(Grey-Brown)	(Grey)

SITE #7

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/25/10

PENETRATING DEPTH = 6.0ft CORE (RECOVERY) = Auger = 6.0ft 2 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 74.7%

PERCENT SAND = 25.3%

Visual - Tan Sand Avg. = 3.25phi

NOTE: NOT TO SCALE

Auger

T

6.0ft Clay (Brown)

SITE #8

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 5/20/10

PENETRATING DEPTH = 6.0ft CORE (RECOVERY) = Auger = 6.0ft 4 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 36.3%

PERCENT SAND = 63.7%

Visual - Tan-Brown Sand Avg. = 0.5phi

NOTE: NOT TO SCALE

Auger

T

0.5ft	1.0ft	2.0ft	2.5ft	6.0ft
Sand	Sand	Sand	Sand	Clay/Mud
(Brown)	(Black)	(Black-Grey)	(Grey)	(Grey-Brown)