

# ENTERPRISE RANGE CDF

## SITE #1

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 7/20/09

PENETRATING DEPTH = 11.0ft  
CORE (RECOVERY) = Auger = 11.0ft

STRATIGRAPHY NOTES: 4 Samples Taken w/Auger

OVERALL RESULTS: PERCENT SILT/CLAY = 40.9%  
PERCENT SAND = 59.1%  
Brown Sand Avg. = 3.00phi

NOTE: NOT TO SCALE

Auger

T

2.0ft Very Fine Sand w/Clay (Brown)	5.0ft Very Fine Sand w/Clay (Grey)	2.0ft Very Fine Sand w/Clay (Dark Grey)	2.0ft Clay (Grey to Brown)
--	---	--	----------------------------------

B

# ENTERPRISE RANGE CDF

## SITE #2

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 7/20/09

PENETRATING DEPTH = 11.0ft  
CORE (RECOVERY) = Auger = 11.0ft

STRATIGRAPHY NOTES: 4 Samples Taken w/Auger

OVERALL RESULTS: PERCENT SILT/CLAY = 55.9%  
PERCENT SAND = 44.1%  
Brown Sand Avg. = 2.25phi

NOTE: NOT TO SCALE

Auger

T



B

# ENTERPRISE RANGE CDF

## SITE #3

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 7/20/09

PENETRATING DEPTH = 11.0ft  
CORE (RECOVERY) = Auger = 11.0ft

STRATIGRAPHY NOTES: 3 Samples Taken w/Auger

OVERALL RESULTS: PERCENT SILT/CLAY = 25.4%  
PERCENT SAND = 74.6%  
Brown Sand Avg. = 1.75phi

NOTE: NOT TO SCALE

Auger

T

8.0ft Medium Sand (Brown)	2.0ft Medium Sand w/Grey Clay (Brown)	1.0ft Fine Sand w/Grey Clay (Brown to Grey)
---------------------------------	--	--

B

# ENTERPRISE RANGE CDF

## SITE #4

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 7/20/09

PENETRATING DEPTH = 11.0ft  
CORE (RECOVERY) = Auger = 11.0ft

STRATIGRAPHY NOTES: 3 Samples Taken w/Auger

OVERALL RESULTS: PERCENT SILT/CLAY = 3.6%  
PERCENT SAND = 96.4%  
Brown Sand Avg. = 2.00phi

NOTE: NOT TO SCALE

Auger

T

2.0ft Medium Sand (Brown)	9.0ft Fine Sand (Brown)
---------------------------------	-------------------------------

B

# **ENTERPRISE RANGE CDF**

## **SITE #5**

**NOTE: MEASUREMENTS GIVEN IN FEET**

**DATE = 7/20/09**

**PENETRATING DEPTH = NONE  
CORE (RECOVERY) = NONE**

**STRATIGRAPHY NOTES: No samples taken with 4 attempts (Gravel & Stone)**