

KILLCOHOOK III CDF ID#328

SITE #8

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

1 sample taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 93.1%

PERCENT SAND = 6.9%

Brown Sand Avg. = 3.5 phi

NOTE: NOT TO SCALE

Auger

T

6.0ft
Mud
(Black)

B

KILLCOHOOK III CDF ID#328

SITE #9

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 5.0ft

CORE (RECOVERY) = Auger = 5.0ft

3 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 22.2%

PERCENT SAND = 77.8%

Tan Sand Avg. = 0.25 phi

NOTE: NOT TO SCALE

Auger

T

| | | |
|---|-------------------------|--|
| 1.0ft Coarse Sand w/Gravel (Brown) | 2.5ft Sand (Gray) | 1.5ft Coarse Muddy Sand (Brown) |
|---|-------------------------|--|

B

KILLCOHOOK III CDF ID#328

SITE #10

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 5.0ft

CORE (RECOVERY) = Auger = 5.0ft

4 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 22.6%

PERCENT SAND = 77.4%

Tan Sand Avg. = 1.00 phi

NOTE: NOT TO SCALE

Auger

T

| | | | |
|--|---|--|---------------------------------|
| 3.0ft Medium Muddy Sand (Brown) | 0.5ft Medium Sandy Mud (Brown) | 0.5ft Medium Sandy Mud w/Gravel (Brown) | 1.0ft Medium Sand (Brown) |
|--|---|--|---------------------------------|

B

KILLCOHOOK III CDF ID#328

SITE #11

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

1 sample taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 57.4%

PERCENT SAND = 42.6%

Brown Sand Avg. = 3.0 phi

NOTE: NOT TO SCALE

Auger

T

6.0ft
Mud
(Black)

B

KILLCOHOOK III CDF ID#328

SITE #12

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

1 sample taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = **80.4%**

PERCENT SAND = **19.6%**

Brown Sand Avg. = **3.0 phi**

NOTE: NOT TO SCALE

Auger

T

6.0ft
Mud
(Black)

B

KILLCOHOOK III CDF ID#328

SITE #13

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

1 sample taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 58.2%

PERCENT SAND = 41.8%

Brown Sand Avg. = 2.5 phi

NOTE: NOT TO SCALE

Auger

T



B

KILLCOHOOK III CDF ID#328

SITE #14

NOTE: MEASUREMENTS GIVEN IN FEET

DATE = 12/6/10

PENETRATING DEPTH = 6.0ft

CORE (RECOVERY) = Auger = 6.0ft

2 samples taken with auger

STRATIGRAPHY NOTES:

OVERALL RESULTS: PERCENT SILT/CLAY = 69.8%

PERCENT SAND = 30.2%

Brown Sand Avg. = 3.0 phi

NOTE: NOT TO SCALE

Auger

T

| | |
|-------------------------|------------------------|
| 5.0ft Mud (Brown) | 1.0ft Mud (Gray) |
|-------------------------|------------------------|

B